

Power Bank



Power Bank

产品系列
Product line

Magnetic Wireless Charging Power Bank Combo

- 15W Wireless Charging
- Plug-in Charging
- 2 x 10000mAh & 3 x 10000mAh Power Bank
- PD22.5W Build-in Cable
- USB-C Bidirectional Fast Charging
- LED Digital Display



Power Bank

产品系列
Product line



22.5W
Max

AC01

AC POWER BANK

- Comes With AC Folding Pins
- 15W Magnetic Wireless Charging
- 3W Magnetic iWatch Charging
- Lightning & USB-C Bidirectional Fast Charging
- 22.5W Super Fast Charging
- Mobile Phone Stand

Power Bank Mode:

Capacity: 10000mAh/37Wh
USB-C Input: DC 5V-3A/9V-2A/12V-1.5A
Lightning Input: DC 5V-3A/9V-2A/12V-1.5A
USB-A Output: DC 5V-3A/9V-2.2A/12V-1.67A/10V-2.25A
USB-C Output: DC 5V-3A/9V-2.2A/12V-1.67A/10V-2.25A
Lightning Output: DC 5V-2.4A/9V-2.2A
Wireless Charging Output: 3W / 5W / 7.5W / 10W / 15W
Max Power: 22.5W Max
Size: 90.5*63*28mm

Adapter Mode:

AC Input: 100-240V AC, 50/60Hz 0.5A Max
USB-A & USB-C & Lightning Output: DC 5V-2A Max
Wireless Charging Output: 5W Max



22.5W
Max

HB116D

POWER BANK

- Mini Body Shape
- Hanging Rope Data Cable
- Lightning & USB-C Bidirectional Fast Charging
- 22.5W Super Fast Charging
- LED Digital Display

Capacity: 10000mAh/37Wh
USB-C Input: DC 5V-3A/9V-2A/12V-1.5A
Lightning Input: DC 5V-3A/9V-2A/12V-1.5A
USB-C Output: DC 5V-3A/9V-2.2A/12V-1.67A/10V-2.25A
Lightning Output: DC 5V-2.4A/9V-2.2A
Max Power: 22.5W Max
Size: 74*59*23mm



22.5W
Max

OEM103

POWER BANK

- 15W Magnetic Wireless Charging
- 22.5W Super Fast Charging
- USB-C Bidirectional Fast Charging
- Dual USB-C Input / Output
- Mobile Phone Stand

Capacity: 10000mAh/37Wh
USB-C1 Input: DC 5V-3A/9V-2A/12V-1.5A
USB-C2 Input: DC 5V-3A/9V-2A/12V-1.5A
USB-C1 Output: DC 5V-3A/9V-2.2A/12V-1.67A/10V-2.25A
USB-C2 Output: DC 5V-3A/9V-2.2A/12V-1.67A/10V-2.25A
Total Output: DC 5V-3A Max
Wireless Charging Output: 5W / 7.5W / 10W / 15W
Max Power: 22.5W Max
Size: 109*67.5*18mm



22.5W
Max

HW33W

3W Magnetic iWatch Charging POWER BANK

- 3W Magnetic iWatch Charging
- 15W Magnetic Wireless Charging
- USB-C Bidirectional Fast Charging
- 22.5W Super Fast Charging
- Built-in 2 cables
- LED Digital Display

Capacity: 10000mAh/37Wh
USB-C Input: DC 5V-3A/9V-2A/12V-1.5A
USB-C Cable Input: DC 5V-3A/9V-2A/12V-1.5A
USB-C Output: DC 5V-3A/9V-2.2A/12V-1.67A/10V-2.25A
USB-C Cable Output: DC 5V-3A/9V-2.2A/12V-1.67A/10V-2.25A
Lightning Cable Output: DC 5V-2.4A/9V-2.2A
Wireless Charging Output: 3W / 5W / 7.5W / 10W / 15W
Max Power: 22.5W Max
Size: 90*63*27.5mm

Power Bank

产品系列
Product line



22.5W
Max

HW32

POWER BANK

- 15W Magnetic Wireless Charging
- 22.5W Super Fast Charging
- USB-C Bidirectional Fast Charging

- Built-in Charging Cable
- LED Digital Display

Capacity:	10000mAh/37Wh
USB-C Input:	DC 5V-3A/9V-2A/12V-1.5A
USB-C Output:	DC 5V-2.4A/9V-2.2A/12V-1.67A/10V-2.25A
USB-C Cable Output:	DC 5V-2.4A/9V-2.2A/12V-1.67A/10V-2.25A
Lightning Cable Output:	DC 5V-2.4A/9V-2.2A
Wireless Charging Output:	5W / 7.5W / 10W / 15W
Max Power:	22.5W Max
Size:	90*63*27.5mm



22.5W
Max

HW31W

3W Magnetic iWatch Charging POWER BANK

- 3W Magnetic iWatch Charging
- PD 22.5W Fast Charging
- USB-C Bidirectional Fast Charging

- Built-in Charging Cable
- LED Digital Display

Capacity:	10000mAh/37Wh
USB-C Input:	DC 5V-3A/9V-2A/12V-1.5A
USB-C Output:	DC 5V-3A/9V-2.2A/12V-1.67A/10V-2.25A
USB-C Cable Output:	DC 5V-3A/9V-2.2A/12V-1.67A/10V-2.25A
iWatch Wireless Charging Output:	3W
Max Power:	20W Max
Size:	89*60*27mm



35W
Max

HW31

POWER BANK

- PD35W Fast Charging for Laptop
- USB-C Bidirectional Fast Charging

- Built-in Charging Cable
- LED Digital Display

Capacity:	10000mAh/37Wh
USB-C Input:	DC 5V-3A/9V-3A/12V-2.92A/20V-1.75A
USB-C Cable Input:	DC 5V-3A/9V-3A/12V-2.92A/20V-1.75A
USB-C Output:	DC 5V-3A/9V-3A/12V-2.92A/15V-2.33A/20V-1.75A
USB-C Cable Output:	DC 5V-3A/9V-3A/12V-2.92A/15V-2.33A/20V-1.75A
PPS:	3.3-11.6V/3A
Max Power:	35W
Size:	89*60*27mm



22.5W
Max

HB115D

POWER BANK

- Magnetic Wireless Charging
- 22.5W Fast Charging
- USB-C Bidirectional Fast Charging

- Mobile Phone Stand
- LED Digital Display

Capacity:	10000mAh/37Wh
USB-C Input:	DC 5V-3A/9V-2A/12V-1.5A
USB-C Output:	DC 5V-2.4A/9V-2.2A/12V-1.67A
USB-A Output:	DC 5V-3A/9V-2A/12V-1.5A/10V-2.25A
Wireless Charging Output:	5W / 7.5W / 10W / 15W
Max Power:	22.5W
Size:	105*68.5*19.5mm

Power Bank

产品系列
Product line



130W
Max

HB112D

POWER BANK

- PD130W Fast Charging for Laptop
 - USB-C Bidirectional Fast Charging
 - 24000mAh Huge Capacity
 - LED Digital Display
- Capacity: 24000mAh/88.8Wh
- USB-C Input: DC 5V-3A/9V-3A/12V-3A/15V-3A/20V-3.25A
- USB-C Output 1: DC 5V-3A/9V-3A/12V-3A/15V-3A/20V-5A/10V-2.25A
- USB-C Output 2: DC 5V-3A/9V-3A/12V-3A/15V-3A/20V-5A/10V-2.25A
- USB-A Output: DC 5V-3A/9V-2A/10V-2.25A/12V-1.5A
- PPS Output: 3.3-20V-5A
- Total: C1+C2=(100W+30W) C1+A=(100W+22.5W) C1+C2+A=(100W+10W+10W)
- Max Power: 130W Max
- Size: 166*79*27mm



22.5W
Max

HW27/HW28

POWER BANK

- 22.5W Fast Charging
 - USB-C Bidirectional Fast Charging
 - Built-in 2 Cables
 - LED Digital Display
- Capacity: 10000mAh/37Wh
- USB-C Input: DC 5V-3A/9V-2A/12V-1.5A
- USB-A Output: DC 5V-4.5A/5V-3A/9V-2A/12V-1.5A
- USB-C Output: DC 5V-2.4A/9V-2.2A/12V-1.67A
- USB-C Cable Output: DC 5V-2.4A/9V-2.2A/12V-1.67A
- lightning Cable Output: DC 5V-2.4A/9V-2.2A
- Max Power: 22.5W Max
- Size: 116*76*18mm



22.5W
Max

HW29/HW30

POWER BANK

- 22.5W Fast Charging
 - USB-C Bidirectional Fast Charging
 - Built-in 2 Cables
 - LED Digital Display
- Capacity: 10000mAh/37Wh · 20000mAh/74Wh
- USB-C Input: DC 5V-3A/9V-2A/12V-1.5A
- USB-A Output: DC 5V-4.5A/5V-3A/9V-2A/12V-1.5A
- USB-C Output: DC 5V-2.4A/9V-2.2A/12V-1.67A
- USB-C Cable Output: DC 5V-2.4A/9V-2.2A/12V-1.67A
- lightning Cable Output: DC 5V-2.4A/9V-2.2A
- Max Power: 22.5W Max
- Size: 152*76*17.5mm · 152*76*28.5mm



150W
Max

CN302

PORTABLE POWER STATION

- Compact and Huge Capacity, It can charge Laptops;
 - It can supply power for equipment 150W at most;
 - Equipped with a 12V car cigarette lighter interface, coupled with a crocodile clip connection, it can quickly start the car.
- Capacity: 54600mAh/202Wh · 60000mAh/222Wh
- Type-C Input: DC 5V-3A/9V-3A/12V-3A/15V-3A/20V-2.25A
- USB Output 1: DC 5V-3A/9V-2A/12V-1.5A
- USB Output 2: DC 5V-3A/9V-2A/12V-1.5A
- Type-C Output: DC5V-3A/9V-3A/12V-3A/15V-3A/20V-3A
- Cigarette lighter Output: DC 12V (Max)
- Maximum total power: 150W
- Size: 157x125x75.6mm

产品系列
Product line

Portable Power Station



Portable Power Station



P100 | 100W
76.96Wh

P150 Pro | 150W
102.4Wh

- Mini Super Mini
- 110V / 230 V(±10%) AC Output
- 14V/8A*2 Output
- PD 100W*2 In / Output



STP800 | 800W
576Wh

STP1200 | 1200W
864Wh

- LiFePO4
- 15 W Wireless Charging
- Pure Sine Wave
- 4 x DC 5525 Output
- Solar Panel Input
- Support AC and DC



TP500 | 500W / 268.8Wh



TP800 | 800W / 576Wh
TP1200 | 1200W / 864Wh



US



ZA



EU



UK



AU



UN



CN

+MORE



P100 | 100W / 76.96Wh
P150 Pro | 150W / 102.4Wh



P300 Mini | 300W / 269.36Wh
P500 Mini | 500W / 444Wh



P650 | 650W / 634.92Wh
P1000 | 1000W / 808.08Wh



J650 | 650W
634.92Wh

J1000 | 1000W
808.08Wh

- Li-ion
- 15 W Wireless Charging
- Pure Sine Wave
- 4 x DC 5525 Output
- Solar Panel Input



J300Mini | 300W / 269.36Wh
J500Mini | 500W / 444Wh



J650 | 650W / 634.92Wh
J1000 | 1000W / 808.08Wh



US



ZA



EU



UK



AU



UN



CN

+MORE

Portable Power Station

产品系列
Product line



W1500 | 1500W
1152Wh

W2000 | 2000W
1152Wh



LiFePO4



15 W Wireless
Charging



Pure Sine
Wave



4 x DC 5525
Output



Solar Panel
Input



Support
AC and DC



US



ZA



EU



UK



AU



UN



CN

+MORE

Wall Charger



Wall Charger

产品系列
Product line



U63

GaN CHARGER

- GaN PD 35W Fast Charger
- USB-A + USB-C Output



Model: U63
Input: AC 100-240V 50/60Hz 1A Max
USB-A Output: DC 5V-3A/9V-2A/12V-1.5A
USB-C Output: DC 5V-3A/9V-3A/12V-2.91A/15V-2.33A/20V-1.75A(35W)
PPS Output: 3.3-11V-3A 3.3-16V-2A
USB-A + USB-C Output: DC 5V-3A Max
Max Power: 35W Max
Size: 78*36.4*32mm



U63

GaN CHARGER

- GaN PD 35W Fast Charger
- USB-A + USB-C Output



Model: U63
Input: AC 100-240V 50/60Hz 1A Max
USB-A Output: DC 5V-3A/9V-2A/12V-1.5A
USB-C Output: DC 5V-3A/9V-3A/12V-2.91A/15V-2.33A/20V-1.75A(35W)
PPS Output: 3.3-11V-3A 3.3-16V-2A
USB-A + USB-C Output: DC 5V-3A Max
Max Power: 35W Max
Size: 78*36.4*32mm



U63

GaN CHARGER

- GaN PD 35W Fast Charger
- Single USB-A Output



Model: U63
Input: AC 100-240V 50/60Hz 1A Max
USB-C Output: DC 5V-3A/9V-3A/12V-2.92A/15V-2.33A/20V-1.75A(35W)
PPS Output: 3.3-11V-3A 3.3-16V-2.25A
Max Power: 35W Max
Size: 78*36.4*32mm



U63

GaN CHARGER

- GaN PD 35W Fast Charger
- Dual USB-C Output



Model: U63
Input: AC 100-240V 50/60Hz 1A
USB-C Output 1: DC 5V-3A/9V-3A/12V-2.92A/15V-2.33A/20V-1.75A(35W)
USB-C Output 2: DC 5V-3A/9V-3A/12V-2.92A/15V-2.33A/20V-1.75A(35W)
PPS Output: 3.3-11V-3A 3.3-16V-2.25A
Max Power: 35W Max
Size: 78*36.4*32mm

Wall Charger



65W
Max

U65

GaN CHARGER

- GaN PD 65W Fast Charger
- USB-A + 2USB-C Output

- PC Fireproof Materials



Model:	U65
Input:	AC 100-240V 50/60Hz 1.5A
USB-C1 Output:	DC 5V-3A/9V-3A/12V-3A/15V-3A/20V-3.25A(65W)
PPS Output:	3.3~21V-3A
USB-C2 Output:	DC 5V-3A/9V-2.22A/12V-1.67A(20W)
USB-A Output:	DC 5V-3A/9V-2.22A/12V-1.67A(20W)
USB-C1+USB-A:	45W+15W
USB-C2+USB-A:	15W
USB-C1+USB-C2:	45W+15W
USB-C1+USB-C2+USB-A:	45W+15W
Max Power:	65W Max
Size:	100.5*36.4*32mm



100W
Max

U68

GaN CHARGER

- GaN PD 100W Fast Charger
- USB-A + 2USB-C Output

- PC Fireproof Materials



Model:	U68
Input:	AC 100-240V 50~60Hz 2.3A Max
USB-C1 Output:	DC 5V-3A,9V-3A,12V-3A,15V-3A,20V-5A (100W)
USB-C2 Output:	DC 5V-3A,9V-3A,12V-3A,15V-3A,20V-5A (100W)
USB-A Output:	DC 5V-3A,9V-3A,12V-3A,15V-3A,20V-3A (60W)
USB-C1+USB-C2:	65W+30W Max
USB-C1+USB-A:	65W+30W Max
USB-C1+USB-C2+USB-A:	65W+15W+15W Max
Max Power:	100W Max
Size:	81*65*32mm




10W
Max

U70

Fast CHARGER

- 10W Fast Charging
- USB-A + USB-C + USB-C Output

- PC Fireproof Materials



Model:	U70
Input:	AC 110-240V 50/60Hz 0.3A
USB-A1 Output:	DC 5V-2A
USB-A2 Output:	DC 5V-2A
USB-C Output:	DC 5V-2A
Total Output:	DC 5V-2A Max
Size:	90*47.5*29mm



30W
Max

U70

GaN CHARGER

- GaN PD 30W & 45W Fast Charger
- USB-A + USB-C Output

- PC Fireproof Materials



Model:	U70
Input:	AC 110-240V 50/60Hz 1A
USB-A Output:	DC 5V-3A/9V-2A/12V-1.5A
USB-C Output:	DC 5V-3A/9V-3A/12V-3A/15V-3A/20V-2.25A
PPS Output:	3.3V-21V-2A
Total Output:	DC 5V-3A Max
Max Power:	45W Max
Size:	90*47.5*29mm